



#### **Flexibility**

As you would expect in a future-proof design, the i700 series terminal supports various Microsoft operating systems (OS). Connectivity has never been better with a range of multiple port formats to support a wide variety of peripheral hardware including cash drawers, receipt printers, Chip and PIN devices and barcode scanners.

#### Design

Designed to impress with both its looks and performance, the i700 retains a small footprint and its built-in cable management simplifies installation and maintenance.

# Reliability

Improving the reliability of Zonal's previous models was never going to be easy but has been achieved by a high quality build specification throughout the unit. The impressive main screen does not use a bezel, leaving no opportunities for liquid ingress. The passive cooling system is fanless, avoiding moving parts and their inherent reliability risks.

#### **Ease of Service and Maintenance**

We know that downtime of a unit can impact your business so we designed the i700 series with ease of servicing and rapid maintenance as a major feature. Key parts like the touchscreen, hard drive or main board can be replaced quickly and easily without data loss or the need for time-consuming commissioning or the transfer of data. Complete unit swap out is equally effective with the i700 series.

### **Environmentally Friendly**

The i700 series delivers a high resolution and bright user experience, never needing more than 50W of power to achieve this. Your carbon footprint can now be as small as the footprint of the i700 series EPoS terminal.

Give us a call today...

0800 131 3400

or drop us an email...

sales@zonal.co.uk

#### **Features**

- · High-resolution 15" touch panel display
- Windows 10 IoT
- · Low power consumption
- · Comprehensive range of ports and sockets
- Small footprint for fl exible installation
- · Ultra-fast processor
- Integral Dallas Key reader for staff authentication

## **Optional Features**

- · Multiple mounting options
- Solid State Drive (SSD) or Hard Disk Drive (HDD)
- Choice of integrated customer displays: 10.4" HD with video, 7" HD with video, 2 line by 20 alphanumeric LCD display
- · Integral magnetic card reader and QR code camera reader





# **i700 EPoS Terminal**

## **Features & Specifications**

| Interfaces   |  |
|--|--|
| 4 Serial Ports (RS232)                               |  |
| 4 USB (2.0)  |  |
| 2 24V Drawer Interface                               |  |
| 2 LAN 10/100/1000 Ethernet (RJ-45)                   |  |
| DISK DRIVE HDD - 3.5" SATA 160GB 5400RPM; SSD - 16GB |  |
| CPU INTEL ATOM N270 1.6GHz                           |  |
| MEMORY 2GB   |  |
| TOUCHSCREEN Five-wire resistive                      |  |

| Technical Specifications     |   |
|------------------------------|---|
| Dimensions:                  | (w) 357mm (d) 212mm (h) 336mm                                     |
| Weight:                      | 8.5Kg   |
| Power Rating:                | 40-50W  |
| Operating Temperature:       | 0-40° C   |
| Operating Voltage:           | 12V DC  |
| Customer Display<br>Options: | Serial 2 x 20<br>7" Colour TFT 10.4"<br>Colour TFT                |
| Display Resolution:          | Main: 1024 x 768<br>Customer: 7" - 800 x 480<br>10.4" - 600 x 800 |

| Approvals/Standards |   |  |
|---------------------|---|--|
| Ingress Protection  | IP44 (EN60529) (touchscreen) IP44 (EN60529) (base unit) |  |
| EMC Standards:      | EN 55022, EN 55024 EN6100-3-2,<br>EN6100-3-3            |  |
| FCC Standards:      | 47 CFR Part 15  |  |
| Safety Standards:   | UL60950 (3rd edition),<br>EN 60950-1                    |  |
| Environmental:      | RoHS compliant  |  |

#### **Standard Features**

- High-resolution 15" touch panel display
- Windows 10 IoT
- · Low power consumption reduces your carbon footprint
- Comprehensive range of ports and sockets to support all modern peripherals
- · Small footprint for flexible installation
- · Ultra fast processing speed
- · Integral Dallas Key reader for staff authentication

## **Optional Features**

- · Multiple mounting options
- Solid State Drive (SSD) or Hard Disk Drive (HDD)
- 15" high-resolution touchscreen with a choice of integrated customer displays:
  - 10.4" high-resolution customer display with video capability
  - 7" high-resolution customer display with video capability
- 2 line by 20 alphanumeric LCD display
- · Integral magnetic card reader
- · Integral camera



